

بيرميثرين® كريم

التركيب :

كل ١٠٠ غ بيرميثرين كريم للبالغين يحتوي على بيرميثرين ٥ غ
كل ١٠٠ غ بيرميثرين كريم للأطفال يحتوي على بيرميثرين ٢,٥ غ

الوصف :

بيرميثرين كريم ٥% و ٢,٥% هو كريم قاتل لطفيلي الجرب يستخدم موضعياً في حالات الإصابة بطفيلي الجرب. و هو متوفر على شكل كريم أبيض اللون.

الخواص :

يعتبر البيرميثرين الخيار العلاجي الأول في حالات الجرب. تنتمي مادة البيرميثرين إلى زمرة البيثرويدات المعروفة بتأثيرها الفعال ضد طفيليات الجرب والعديد من الافات مثل القمل.

يستقلب البيرميثرين بشكل سريع إلى مركبات غير فعالة ويخرج خارج الجسم مع البول، ولم تحدد بدقة كمية البيرميثرين الممتصة عن طريق الجلد بعد تطبيق واحد للكريم على الجلد.

الاستطبايات :

يستخدم بيرميثرين كريم لعلاج حالات الإصابة بطفيلي الجرب والتخلص من الحكة المرافقة للإصابة بطفيلي الجرب.

طريقة الاستعمال :

تعليمات الاستعمال :

١- أولاً يأخذ المريض حماماً دافئاً ثم يجفف الجسم جيداً قبل استعمال الكريم.

٢- ثم يدهن الجسم بالكريم جيداً في جميع أنحاء سطح الجسم من الرقبة إلى أصابع القدمين فيما عدا الوجه وفروة الرأس.

٣- في اليوم التالي يأخذ المريض حمام دافئ بالماء والصابون لجميع أنحاء الجسم.

٤- عادة استخدام الكريم مرة واحدة يكفي للعلاج ولكن ينصح باستخدامه ليومين متتاليين للحصول على نتائج أفضل.

تعليمات عامة للحصول على علاج فعال :

- ١- يجب علاج جميع البالغين في الاسرة بكريم بيرميثرين للبالغين (بيرميثرين ٥%).
- ٢- الاطفال (فوق عمر الشهرين) يتم معالجتهم بكريم بيرميثرين للأطفال (بيرميثرين ٢,٥%).
- ٣- جميع الملابس وأغطية السرائر والمخدات تغسل وتكوى جيداً.
- ٤- يجب ان يغير المريض ملابساً يومية بماليس مغسولة ومجففة حديثاً لتجنب العدوى مرة اخرى.

موانع الاستعمال :

لا يستخدم بيرميثرين كريم لدى المرضى الذين لديهم تحسس لأي من المشتقات الصناعية للبيثرويدات أو البرثرينات.

الحوامل : المجموعة - B

التحذيرات :

- يجب تجنب ملامسة المستحضر للعين وفي حالة حدوث ذلك بطريق الخطأ يجب غسل العين بالماء جيداً.
- تغسل الأيدي جيداً بعد تطبيق المستحضر، وتجنب اقتراب المستحضر من جوف الفم والأغشية المخاطية.
- لا يستخدم على الجروح المفتوحة.
- للاستعمال الخارجي فقط.

الآثار الجانبية :

عادة ما يلاحظ حدوث حرقة وإحساس واخز خفيف وبشكل مؤقت بعد تطبيق الكريم على الجلد وهذا يعود لفعالية المستحضر.

التخزين :

يحفظ في درجة حرارة بين (٢٠ - ٢٥) م° ، بعيداً عن الرطوبة.

التعبئة : تيوب ٤٠ غ .

١- الدواء مستحضر يؤثر على صحتك، واستهلاكه خلافاً للتعليمات يعرضك للخطر.

٢- يحفظ بعيداً عن متناول الأطفال.


Pharmaceutical & Cosmetic Industries

إنتاج فريسيا فارما
اليمن - صنعاء
www.freesiapharma.com

Permethrin[®] Cream

Composition and forms:

Each 100 g Permethrin Cream for adults contains Permethrin 5 g.

Each 100 g Permethrin Cream for children contains Permethrin 2.5 g.

Description:

Permethrin Cream 5% & 2.5% are topical scabidical agents for the treatment of *Sarcoptes scabiei* (scabies) infestation. They are available in an off-white cream base.

Properties:

- Permethrin is the first line treatment of scabies.
- Permethrin is a Pyrethroid which is active against scabies and a broad range of pests including lice.
- Permethrin is rapidly metabolized to inactive metabolites which are excreted primarily in the urine.
- Although the amount of permethrin absorbed after a single application of cream has not been determined precisely.

Indications:

Permethrin Cream is indicated for the treatment of *Sarcoptes scabiei* (scabies) infestation. And to relief the pruritus accompanied with scabies infestation.

Directions of use:

Instruction of use:

- 1- Take a warm bath then dry your body well before using the cream.
- 2- Permethrin must be rubbed into the entire body well from neck to toes except face and scalp.
- 3- The next day patient should take a warm bath with water and soap.
- 4- One application is generally curative, but it advisable to use for two consecutive days to obtain better results.

General rules of effective treatment:

- 1- All adult individuals in the house are preferably treated with Permethrin for adults (Permethrin 5%).
- 2- Children (above 2 month of age) are treated with Permethrin, for children (Permethrin 2.5 %).
- 3- Clothes and bed sheets should be washed and ironed.
- 4- Patients should put on freshly washed and dried clothing in order to prevent reinfestation.

Contraindications:

Permethrin Cream is contraindicated in patients with known hypersensitivity to any synthetic Pyrethroids or Pyrethrins.

Pregnancy:

Category - B

Warnings:

- Avoid contact with eyes during application and to flush with water immediately if happened.
- Wash the hands well after use, and avoid the entrance of cream to the mouth cavity or mucus membrane.
- Not to be used on open wounds.
- For external use only.

Side effects:

Generally mild and transient burning and stinging followed by the application of Permethrin cream, this is due to its activity.

Storage:

Store between 20-25°C, away from moisture.

Packaging:

Tube of 40 g.

1- Medicament is a product which affects your health, and its consumption contrary to instructions is dangerous for you.
2- Keep out of reach of children.

**Freesia**
Pharmaceutical & Cosmetic Industries

Produced by Freesia Pharma
Yemen - Sana'a
www.freesiapharma.com